

TECHNICAL DATASHEET

SUN-G3 30W COB 36° BLACK

04-07-2020



NO IMAGE
AVAILABLE

VT/SUN- G3/30W/4500K/COB/36°/220V/BLACK/TRACKLIGHT

NOTES

General Informations

Stock Code	2101810
HSC/GTIP Code	9405.10.91.50.00

Electrical Characteristics

Current Type	AC
Operation Voltage	110-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,25 Amper
Power	30 Watt
Power Factor	>0.5
Luminous Efficiency	83 lumen/Watt
Energy Savings	0,85
Dimmable	No
Electrical Protection Class	Class II

Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Input Voltage	110-240 Volt
Driver Input Current	0,25 Amper

Lighting Characteristics

Luminous Flux	2490 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	36°
Flicker	No
LED Type	COB

Mechanical Parameters

IP Protection Class	IP20
Switch On/Off Cycle	30000
Lifetime	30000 hours
Body Material	Aluminum & ABS
Body Colour	Black
Product Height	180 millimeter
Product Width	Ø80 millimeter
Ambient Temperature (Ta)	-20°C<Ta<60°C

Logistic Informations

Inbox Length	95 millimeter
Inbox Width	83 millimeter
Inbox Height	252 millimeter
Outbox Length	610 millimeter
Outbox Width	270 millimeter
Outbox Height	435 millimeter
Outbox Volume	0,07164 m ³
Outbox Quantity	30 pieces
Unit Net Weight	0,45 kilogram
Outbox Net Weight	13,5 kilogram
Outbox Gross Weight	15,8 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.