


TECHNICAL DATASHEET

LEDBULL-D 6W CHROME

01-07-2020



LEDBULL - D

VT/LEDBULL-D/6W/SMD/60K/CHR/40CM/220V/MIR&PIC.LAMP

NOTES

General Informations

| | |
|-------------------------|------------------|
| Stock Code | 2110220 |
| HSC/GTIP Code | 9405.10.91.50.00 |
| EAN-13 (Inbox Barcode) | 6970233831174 |
| ITF-14 (Outbox Barcode) | 26970233831178 |

Mechanical Parameters

| | |
|--------------------------|-----------------|
| IP Protection Class | IP20 |
| Switch On/Off Cycle | 30000 |
| Lifetime | 35000 hours |
| Body Material | Stainless Steel |
| Body Colour | Chrome |
| Product Height | 400 millimeter |
| Product Width | 110 millimeter |
| Ambient Temperature (Ta) | -20°C<Ta<50°C |

Electrical Characteristics

| | |
|-----------------------------|---------------|
| Current Type | AC |
| Operation Voltage | 100-240 Volt |
| Operation Frequency | 50/60 Hertz |
| Power | 6 Watt |
| Power Factor | >0,5 |
| Luminous Efficiency | 80 lumen/Watt |
| Energy Savings | 0,84 |
| Dimmable | No |
| Electrical Protection Class | Class II |

Logistic Informations

| | |
|---------------------|-----------------------|
| Outbox Length | 425 millimeter |
| Outbox Width | 400 millimeter |
| Outbox Height | 340 millimeter |
| Outbox Volume | 0,0578 m ³ |
| Outbox Quantity | 20 pieces |
| Unit Net Weight | 0,35 kilogram |
| Outbox Net Weight | 7 kilogram |
| Outbox Gross Weight | 9,34 kilogram |

Lighting Characteristics

| | |
|------------------|-----------|
| Luminous Flux | 480 lumen |
| Light Beam Angle | 180° |
| LED Type | SMD |

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.